

DENİZLİ OSB MÜDÜRLÜĞÜ ARITMA TESİSİ

11 ADET KİMYASALIN ATIKSU VE ÇAMURDA ANALİZİ ve SONUÇ RAPORU



PROJE N°:

SGS-ENVI 460

KOD:

DENİZLİ-TURKİYE

DENİZLİ

Yayımlanma Tarihi:

25.12.15



İlgili Kişi:

Ibrahim EREŞME

Çevre Yük. Müh.

Çevre Görevlisi / İş Güv. Uzm. (A)

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law." This report will be kept on file for 6 months only. This report /certificate may not be reproduced, published or used for public relations or marketing purposes unless written authorization from SGS Turkey has been received.

Hazırlayan:

Kontrol eden:

Onaylayan:

Zeynep Ülkü
Çevre Uzmanı

Beray Koçhisarlı
Çevre Takım Lideri

Sue Durukan
Bölüm Müdürü



This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law." This report will be kept on file for 6 months only.

This report /certificate may not be reproduced, published or used for public relations or marketing purposes unless written authorization from SGS Turkey has been received.



TEST REPORT NO.:	VNSL1512008021TX	Date: Dec 23, 2015
------------------	------------------	--------------------

FACTORY NAME
FACTORY ADDRESS

Denizli OSB Müdürlüğü Aritma Tesisi
Denizli OSB Müdürlüğü Ankara Asfaltı 17.km 20330 Honaz/Denizli

The following sample was collected by the SGS:

Sample Description	:	(A) Waste Water, (B) Sludge
Buyer Name	:	/
Factory Name	:	/
Ref Number.	:	/
Sample Received Quantity	:	/
Department No.	:	/
Country of Origin	:	/
Country of Destination	:	/
Sample Receiving Date	:	Ara 15, 2015
Test Performing Period	:	Dec 15, 2015 to Dec 23, 2015

Remarks

1. This test document cannot be reproduced in any way, except in full content, without prior approval in writing by the laboratory.
2. The results shown in this test report refer only to the sampling and the sample(s) tested unless otherwise stated.
3. The Sludge is tested based on dry mass.

Signed for and on behalf of
SGS VIETNAM LTD

Dinh Duy Hai
Softlines Lab Manager

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request and accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any document is an offer for conclusion of a transaction which is accepted by the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility to its clients with this document remains limited to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law."

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS Viet Nam Ltd. | Lot II/21, 19/5A St. Industry Group III, Tan Binh II, Tan Phu Dist., HCMC 5 R, Viet Nam (84-8) 3516 0999 (84-8) 3516 0996 www.sgs.com
Member of SGS Group

Sampling Location	Turkey	Official Journal Number: 25687 WATER POLLUTION CONTROL REGULATIONS (Amendment Table 1: RG-13/2 / 2008-26786)	Turkey
Sampling Time	9:30-12:30		9:30-12:30
Date Sampled	03.12.2015		03.12.2015
Date Received	15.12.2015		15.12.2015

TABEL 10: TEKSTİL SANAYİ ATIK SULARININ ALICI ORTAMA DEŞARJ STANDARTLARI

Ref. No.	ITEMS	CAS No.	METHOD	Waste Water Reporting Limit	Effluent	Local Requirement	Sludge		
							Reporting Limit	Sludge	Local Requirement (if applicable)
1 Phthalates									
1.1	Di-Butyl Phthalate (DBP)	84-74-2	With reference to USEPA 8270D or Solvent extraction followed by GC/MS analysis	1 µg/L	<1	-	0.3 mg/kg	<0.3	-
1.2	Di(2-Ethyl Hexyl) Phthalate(DEHP)	117-81-7	With reference to USEPA 8270D or Solvent extraction followed by GC/MS analysis	1 µg/L	<1	-	0.3 mg/kg	<0.3	-
1.3	Benzyl Butyl Phthalate (BBP)	85-68-7	With reference to USEPA 8270D or Solvent extraction followed by GC/MS analysis	1 µg/L	<1	-	0.3 mg/kg	<0.3	-
1.4	Di-Iso-Nonyl Phthalate (DINP)	28551-12-0, 68515-48-0	With reference to USEPA 8270D or Solvent extraction followed by GC/MS analysis	1 µg/L	<1	-	0.3 mg/kg	<0.3	-
1.5	Di-N-Octyl Phthalate (DNOP)	117-84-0	With reference to USEPA 8270D or Solvent extraction followed by GC/MS analysis	1 µg/L	<1	-	0.3 mg/kg	<0.3	-
1.6	Di-Iso-Decyl Phthalate (DIDP)	26761-40-0, 68515-49-1	With reference to USEPA 8270D or Solvent extraction followed by GC/MS analysis	1 µg/L	<1	-	0.3 mg/kg	<0.3	-
1.7	Di-Iso-Butyl Phthalate (DIBP)	84-69-5	With reference to USEPA 8270D or Solvent extraction followed by GC/MS analysis	1 µg/L	<1	-	0.3 mg/kg	<0.3	-
1.8	Di-N-Hexyl Phthalate (DNHP)	84-75-3	With reference to USEPA 8270D or Solvent extraction followed by GC/MS analysis	1 µg/L	<1	-	0.3 mg/kg	<0.3	-
1.9	Bis(2-methoxyethyl)phthalate (DMEP)*	117-82-8	With reference to USEPA 8270D or Solvent extraction followed by GC/MS analysis	1 µg/L	<1	-	0.3 mg/kg	<0.3	-
1.10	1,2-Benzenediacrylic acid, Di-C7-11 Branched and Linear Alkyl Esters (DHNU)*	68515-42-4	With reference to USEPA 8270D or Solvent extraction followed by GC/MS analysis	1 µg/L	<1	-	0.3 mg/kg	<0.3	-
1.11	Di-Iso-Hexyl Phthalate (DIHP)*	71888-89-6	With reference to USEPA 8270D or Solvent extraction followed by GC/MS analysis	1 µg/L	<1	-	0.3 mg/kg	<0.3	-
1.12	Di-pentylphthalate (n-, iso-, or mixed) (DPP)*	131-18-0	With reference to USEPA 8270D or Solvent extraction followed by GC/MS analysis	1 µg/L	<1	-	0.3 mg/kg	<0.3	-
2 Halogenated Flame retardants									
2.1	Polybrominated biphenyls (PBBs)	59536-65-1 various	Solvent extraction followed by GC/MS analysis	0.05 µg/L	<0.05	-	0.03 mg/kg	<0.03	-
2.2	Monobromo biphenyls (MonoBB)	-	Solvent extraction followed by GC/MS analysis	0.05 µg/L	<0.05	-	0.03 mg/kg	<0.03	-
2.3	Dibromo biphenyls (DiBB)	-	Solvent extraction followed by GC/MS analysis	0.05 µg/L	<0.05	-	0.03 mg/kg	<0.03	-
2.4	Tribromo biphenyls (TriBB)	-	Solvent extraction followed by GC/MS analysis	0.05 µg/L	<0.05	-	0.03 mg/kg	<0.03	-
2.5	Tetrabromo biphenyls (TetraBB)	-	Solvent extraction followed by GC/MS analysis	0.05 µg/L	<0.05	-	0.03 mg/kg	<0.03	-
2.6	Pentabromo biphenyls (PentaBB)	-	Solvent extraction followed by GC/MS analysis	0.05 µg/L	<0.05	-	0.03 mg/kg	<0.03	-
2.7	Hexabromo biphenyls (HexaBB)	-	Solvent extraction followed by GC/MS analysis	0.05 µg/L	<0.05	-	0.03 mg/kg	<0.03	-
2.8	Heptabromo biphenyls (HeptaBB)	-	Solvent extraction followed by GC/MS analysis	0.05 µg/L	<0.05	-	0.03 mg/kg	<0.03	-
2.9	Octabromo biphenyls (OctaBB)	-	Solvent extraction followed by GC/MS analysis	0.05 µg/L	<0.05	-	0.03 mg/kg	<0.03	-
2.10	Nonabromo biphenyls (NonaBB)	-	Solvent extraction followed by GC/MS analysis	0.05 µg/L	<0.05	-	0.03 mg/kg	<0.03	-
2.11	Decabromo biphenyls (DecaBB)	13654-09-6 various	Solvent extraction followed by GC/MS analysis	0.05 µg/L	<0.05	-	0.03 mg/kg	<0.03	-
2.12	Polybrominated diphenyl ethers (PBDEs)	-	Solvent extraction followed by GC/MS analysis	0.05 µg/L	<0.05	-	0.03 mg/kg	<0.03	-
2.13	Monobromo diphenyl ethers (MonoBDE)	-	Solvent extraction followed by GC/MS analysis	0.05 µg/L	<0.05	-	0.03 mg/kg	<0.03	-
2.14	Dibromo diphenyl ethers (DiBDE)	-	Solvent extraction followed by GC/MS analysis	0.05 µg/L	<0.05	-	0.03 mg/kg	<0.03	-
2.15	Trichloro diphenyl ethers (TriBDE)	-	Solvent extraction followed by GC/MS analysis	0.05 µg/L	<0.05	-	0.03 mg/kg	<0.03	-
2.16	Tetrabromo diphenyl ethers (TetraBDE)	40086-47-9	Solvent extraction followed by GC/MS analysis	0.05 µg/L	<0.05	-	0.03 mg/kg	<0.03	-
2.17	Pentabromo diphenyl ethers (PentaBDE)	32534-81-9	Solvent extraction followed by GC/MS analysis	0.05 µg/L	<0.05	-	0.03 mg/kg	<0.03	-
2.18	Hexabromo diphenyl ethers (HexaBDE)	36483-60-0	Solvent extraction followed by GC/MS analysis	0.05 µg/L	<0.05	-	0.03 mg/kg	<0.03	-
2.19	Heptabromo diphenyl ethers (HeptaBDE)	68928-80-3	Solvent extraction followed by GC/MS analysis	0.05 µg/L	<0.05	-	0.03 mg/kg	<0.03	-
2.20	Octabromo diphenyl ethers (OctaBDE)	23256-52-0	Solvent extraction followed by GC/MS analysis	0.05 µg/L	<0.05	-	0.03 mg/kg	<0.03	-
2.21	Nonabromo diphenyl ethers (NonaBDE)	63936-56-1	Solvent extraction followed by GC/MS analysis	0.05 µg/L	<0.05	-	0.03 mg/kg	<0.03	-
2.22	Decabromo diphenyl ethers (DecaBDE)	1163-19-5	Solvent extraction followed by GC/MS analysis	0.05 µg/L	<0.05	-	0.03 mg/kg	<0.03	-
2.23	Decabromo diphenyl ethers (DecaBDE) Tris(2,3-dibromopropyl) phosphate (TRIS)	126-72-7	Solvent extraction followed by GC/MS or LC/MS analysis	0.5 µg/L	<0.5	-	0.25 mg/kg	<0.25	-
2.24	Tris(2-chloroethyl) phosphate (TCEP)	115-96-8	Solvent extraction followed by GC/MS or LC/MS analysis	0.05 µg/L	<0.05	-	0.25 mg/kg	<0.25	-
Subgroup: Other Flame Retardants									
2.25	Tris(1-aziridinyl)phosphine oxide (TEPA)*	545-55-1	Solvent extraction followed by GC/MS or LC/MS analysis	0.5 µg/L	<0.5	-	0.25 mg/kg	<0.25	-
2.26	Bis(2,3-dibromopropyl)phosphate (BIS)*	5412-25-9	Solvent extraction followed by GC/MS or LC/MS analysis	0.5 µg/L	<0.5	-	0.25 mg/kg	<0.25	-
2.27	Sodium Tetraborate*^	1303-96-4, 1303-43-4, 12179-04-3, 215-540-4	Acid Digestion with ICP analysis	0.5 µg/L	<0.5	-	0.25 mg/kg	<0.25	-
2.28	Boron trioxide*^	1303-86-2	Acid Digestion with ICP analysis	0.5 µg/L	<0.5	-	0.25 mg/kg	<0.25	-
2.29	Boric acid*^	10043-35-3, 11113-50-1	Acid Digestion with ICP analysis	0.5 µg/L	<0.5	-	0.25 mg/kg	<0.25	-
2.30	Antimony trioxide**	1309-64-4	Acid Digestion with ICP analysis	0.5 µg/L	<0.5	-	0.25 mg/kg	<0.25	-
2.31	Tri-o-cresyl phosphate*	78-30-8	Solvent extraction followed by GC/MS or LC/MS analysis	0.5 µg/L	<0.5	-	0.25 mg/kg	<0.25	-
2.32	Tris(1,3-dichloro-2-propyl) phosphate (TDCPP)*	13674-87-8	Solvent extraction followed by GC/MS or LC/MS analysis	0.5 µg/L	<0.5	-	0.25 mg/kg	<0.25	-
3 Amines (Associated with Azo dyes)									
3.1	4-Aminodiphenyl	92-67-1	With reference to EN 14362-1&3 and followed by GC/MS and HPLC Analysis.	0.01 µg/L	<0.01	-	0.01 mg/kg	<0.01	-
3.2	Benzidine	92-67-5	With reference to EN 14362-1&3 and followed by GC/MS and HPLC Analysis.	0.01 µg/L	<0.01	-	0.01 mg/kg	<0.01	-
3.3	4-Chloro-o-Toliduidine	95-69-2	With reference to EN 14362-1&3 and followed by GC/MS and HPLC Analysis.	0.01 µg/L	<0.01	-	0.01 mg/kg	<0.01	-
3.4	2-Naphthylamine	91-59-8	With reference to EN 14362-1&3 and followed by GC/MS and HPLC Analysis.	0.01 µg/L	<0.01	-	0.01 mg/kg	<0.01	-
3.5	o-Aminoazotoluene	97-56-3	With reference to EN 14362-1&3 and followed by GC/MS and HPLC Analysis.	0.01 µg/L	<0.01	-	0.01 mg/kg	<0.01	-
3.6	2-Amino-4-Nitrotoluene	99-55-8	With reference to EN 14362-1&3 and followed by GC/MS and HPLC Analysis.	0.01 µg/L	<0.01	-	0.01 mg/kg	<0.01	-
3.7	p-Chloroaniline	106-47-8	With reference to EN 14362-1&3 and followed by GC/MS and HPLC Analysis.	0.01 µg/L	<0.01	-	0.01 mg/kg	<0.01	-
3.8	2,4-Diaminoanisole	615-05-4	With reference to EN 14362-1&3 and followed by GC/MS and HPLC Analysis.	0.01 µg/L	<0.01	-	0.01 mg/kg	<0.01	-
3.9	4,4'-Diaminodiphenylmethane	101-77-9	With reference to EN 14362-1&3 and followed by GC/MS and HPLC Analysis.	0.01 µg/L	<0.01	-	0.01 mg/kg	<0.01	-
3.10	3,3'-Dichlorobenzidine	91-94-1	With reference to EN 14362-1&3 and followed by GC/MS and HPLC Analysis.	0.01 µg/L	<0.01	-	0.01 mg/kg	<0.01	-
3.11	3,3'-Dimethoxybenzidine	119-90-4	With reference to EN 14362-1&3 and followed by GC/MS and HPLC Analysis.	0.01 µg/L	<0.01	-	0.01 mg/kg	<0.01	-
3.12	3,3'-Dimethylbenzidine	119-93-7	With reference to EN 14362-1&3 and followed by GC/MS and HPLC Analysis.	0.01 µg/L	<0.01	-	0.01 mg/kg	<0.01	-
3.13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	With reference to EN 14362-1&3 and followed by GC/MS and HPLC Analysis.	0.01 µg/L	<0.01	-	0.01 mg/kg	<0.01	-
3.14	p-Cresidine	120-71-8	With reference to EN 14362-1&3 and followed by GC/MS and HPLC Analysis.	0.01 µg/L	<0.01	-	0.01 mg/kg	<0.01	-
3.15	4,4'-Methylene-Bis(2-Chloroaniline)	101-14-4	With reference to EN 14362-1&3 and followed by GC/MS and HPLC Analysis.	0.01 µg/L	<0.01	-	0.01 mg/kg	<0.01	-

3.16	4,4'-Oxydianiline	101-80-4	With reference to EN 14362-1&3 and followed by GC/MS and HPLC Analysis.	0.01 µg/L	<0.01	-	0.01 mg/kg	<0.01	-
3.17	4,4'-Thiodianiline	139-65-1	With reference to EN 14362-1&3 and followed by GC/MS and HPLC Analysis.	0.01 µg/L	<0.01	-	0.01 mg/kg	<0.01	-
3.18	o-Toluidine	95-53-4	With reference to EN 14362-1&3 and followed by GC/MS and HPLC Analysis.	0.01 µg/L	<0.01	-	0.01 mg/kg	<0.01	-
3.19	2,4-Toluylenediamine	95-80-7	With reference to EN 14362-1&3 and followed by GC/MS and HPLC Analysis.	0.01 µg/L	<0.01	-	0.01 mg/kg	<0.01	-
3.20	2,4,5-Trimethylaniline	137-17-7	With reference to EN 14362-1&3 and followed by GC/MS and HPLC Analysis.	0.01 µg/L	<0.01	-	0.01 mg/kg	<0.01	-
3.21	o-Anisidine	90-04-0	With reference to EN 14362-1&3 and followed by GC/MS and HPLC Analysis.	0.01 µg/L	<0.01	-	0.01 mg/kg	<0.01	-
3.22	p-Aminoazobenzene	60-09-3	With reference to EN 14362-1&3 and followed by GC/MS and HPLC Analysis.	0.01 µg/L	<0.01	-	0.01 mg/kg	<0.01	-
3.23	2,4-Xyldidine	95-68-1	With reference to EN 14362-1&3 and followed by GC/MS and HPLC Analysis.	0.01 µg/L	<0.01	-	0.01 mg/kg	<0.01	-
3.24	2,6-Xyldidine	87-62-7	With reference to EN 14362-1&3 and followed by GC/MS and HPLC Analysis.	0.01 µg/L	<0.01	-	0.01 mg/kg	<0.01	-
4 Organotin compounds									
4.1	Monobutyltin (MBT)	1118-46-3	With reference to DIN EN17353 and followed by GC/MS analysis.	0.01 µg/L	<0.01	-	0.01 mg/kg	<0.01	-
4.2	Di butyltin (DBT)	1002-53-5	With reference to DIN EN17353 and followed by GC/MS analysis.	0.01 µg/L	<0.01	-	0.01 mg/kg	<0.01	-
4.3	Tributyltin (TBT)	56573-85-4	With reference to DIN EN17353 and followed by GC/MS analysis.	0.01 µg/L	<0.01	-	0.01 mg/kg	<0.01	-
4.4	Triphenyltin (TPhT)	892-20-6	With reference to DIN EN17353 and followed by GC/MS analysis.	0.01 µg/L	<0.01	-	0.01 mg/kg	<0.01	-
4.5	Di octyltin (DOT)	94410-05-6	With reference to DIN EN17353 and followed by GC/MS analysis.	0.01 µg/L	<0.01	-	0.01 mg/kg	<0.01	-
4.6	Mono octyltin (MOT)	15231-44-4	With reference to DIN EN17353 and followed by GC/MS analysis.	0.01 µg/L	<0.01	-	0.01 mg/kg	<0.01	-
4.7	Diphenyltin (DPhT)	1011-95-6	With reference to DIN EN17353 and followed by GC/MS analysis.	0.01 µg/L	<0.01	-	0.01 mg/kg	<0.01	-
4.8	Tetrabutyltin (TeBT)	1461-25-2	With reference to DIN EN17353 and followed by GC/MS analysis.	0.01 µg/L	<0.01	-	0.01 mg/kg	<0.01	-
4.9	Tricyclohexyltin (TCyT)	NA	With reference to DIN EN17353 and followed by GC/MS analysis.	0.01 µg/L	<0.01	-	0.01 mg/kg	<0.01	-
4.10	Tripropyltin (PTP)	NA	With reference to DIN EN17353 and followed by GC/MS analysis.	0.01 µg/L	<0.01	-	0.01 mg/kg	<0.01	-
4.11	Tetraethyltin (TeET)	597-64-8	With reference to DIN EN17353 and followed by GC/MS analysis.	0.01 µg/L	<0.01	-	0.01 mg/kg	<0.01	-
4.12	Bis(tributyltin) oxide (TBTO)*	56-35-9	With reference to DIN EN17353 and followed by GC/MS analysis.	0.01 µg/L	<0.01	-	0.01 mg/kg	<0.01	-
4.13	Di butyltin dichloride (DBTC)*	683-18-1	With reference to DIN EN17353 and followed by GC/MS analysis.	0.01 µg/L	<0.01	-	0.01 mg/kg	<0.01	-
4.14	Triphenyltin (TPT)*	668-34-8	With reference to DIN EN17353 and followed by GC/MS analysis.	0.01 µg/L	<0.01	-	0.01 mg/kg	<0.01	-
4.15	Di butyltin hydrogen borate (DBB)*	75113-37-0	With reference to DIN EN17353 and followed by GC/MS analysis.	0.01 µg/L	<0.01	-	0.01 mg/kg	<0.01	-
5 Chloro- Benzenes									
5.1	Dichlorobenzenes	various							
5.2	1,2-Dichlorobenzene	95-50-1	With reference to USEPA 8270D or Solvent extraction followed by GC/MS analysis	0.02 µg/L	0,02	-	0.01 mg/kg	<0.01	-
5.2	1,3-Dichlorobenzene	541-73-1	With reference to USEPA 8270D or Solvent extraction followed by GC/MS analysis	0.02 µg/L	<0.02	-	0.01 mg/kg	<0.01	-
5.3	1,4-Dichlorobenzene	106-46-7	With reference to USEPA 8270D or Solvent extraction followed by GC/MS analysis	0.02 µg/L	<0.02	-	0.01 mg/kg	<0.01	-
	Trichlorobenzene	various							
5.4	1,2,3-Trichlorobenzene	87-51-6	With reference to USEPA 8270D or Solvent extraction followed by GC/MS analysis	0.02 µg/L	<0.02	-	0.01 mg/kg	<0.01	-
5.5	1,2,4-Trichlorobenzene	120-82-1	With reference to USEPA 8270D or Solvent extraction followed by GC/MS analysis	0.02 µg/L	0,03	-	0.01 mg/kg	0,04	-
5.6	1,3,5-Trichlorobenzene	108-70-3	With reference to USEPA 8270D or Solvent extraction followed by GC/MS analysis	0.02 µg/L	<0.02	-	0.01 mg/kg	<0.01	-
	Tetrachlorobenzene	12408-10-5	With reference to USEPA 8270D or Solvent extraction followed by GC/MS analysis	0.02 µg/L	<0.02	-	0.01 mg/kg	<0.01	-
5.7	1,2,3,4-Tetrachlorobenzene	634-66-2	With reference to USEPA 8270D or Solvent extraction followed by GC/MS analysis	0.02 µg/L	<0.02	-	0.01 mg/kg	<0.01	-
5.8	1,2,3,5-Tetrachlorobenzene	634-90-2	With reference to USEPA 8270D or Solvent extraction followed by GC/MS analysis	0.02 µg/L	<0.02	-	0.01 mg/kg	<0.01	-
5.9	1,2,4,5-Tetrachlorobenzene	95-94-3	With reference to USEPA 8270D or Solvent extraction followed by GC/MS analysis	0.02 µg/L	<0.02	-	0.01 mg/kg	<0.01	-
5.10	Pentachlorobenzene	608-93-5	With reference to USEPA 8270D or Solvent extraction followed by GC/MS analysis	0.02 µg/L	<0.02	-	0.01 mg/kg	<0.01	-
5.11	Hexachlorobenzene	118-74-1	With reference to USEPA 8270D or Solvent extraction followed by GC/MS analysis	0.02 µg/L	<0.02	-	0.01 mg/kg	<0.01	-
Chloro-Toluenes									
5.12	2-chlorotoluene*	95-49-8	With reference to USEPA 8270D or Solvent extraction followed by GC/MS analysis	0.02 µg/L	<0.02	-	0.01 mg/kg	<0.01	-
5.13	3-chlorotoluene*	108-41-8	With reference to USEPA 8270D or Solvent extraction followed by GC/MS analysis	0.02 µg/L	<0.02	-	0.01 mg/kg	<0.01	-
5.14	4-chlorotoluene*	106-43-4	With reference to USEPA 8270D or Solvent extraction followed by GC/MS analysis	0.02 µg/L	<0.02	-	0.01 mg/kg	<0.01	-
5.15	2,3-dichlorotoluene*	32768-54-0	With reference to USEPA 8270D or Solvent extraction followed by GC/MS analysis	0.02 µg/L	<0.02	-	0.01 mg/kg	<0.01	-
5.16	2,4-dichlorotoluene*	95-73-8	With reference to USEPA 8270D or Solvent extraction followed by GC/MS analysis	0.02 µg/L	<0.02	-	0.01 mg/kg	<0.01	-
5.17	2,5-dichlorotoluene*	19398-61-9	With reference to USEPA 8270D or Solvent extraction followed by GC/MS analysis	0.02 µg/L	<0.02	-	0.01 mg/kg	<0.01	-
5.18	2,7-dichlorotoluene*	118-69-4	With reference to USEPA 8270D or Solvent extraction followed by GC/MS analysis	0.02 µg/L	<0.02	-	0.01 mg/kg	<0.01	-
5.19	3,4-dichlorotoluene*	95-75-0	With reference to USEPA 8270D or Solvent extraction followed by GC/MS analysis	0.02 µg/L	<0.02	-	0.01 mg/kg	<0.01	-
5.20	2,3,6-trichlorotoluene*	2077-46-5	With reference to USEPA 8270D or Solvent extraction followed by GC/MS analysis	0.02 µg/L	<0.02	-	0.01 mg/kg	<0.01	-
5.21	2,4,5-trichlorotoluene*	6639-30-1	With reference to USEPA 8270D or Solvent extraction followed by GC/MS analysis	0.02 µg/L	<0.02	-	0.01 mg/kg	<0.01	-
5.22	Benzolrichloride*	98-07-7	With reference to USEPA 8270D or Solvent extraction followed by GC/MS analysis	0.02 µg/L	<0.02	-	0.01 mg/kg	<0.01	-
5.23	alfa,2,4-trichlorotoluene*	94-99-5	With reference to USEPA 8270D or Solvent extraction followed by GC/MS analysis	0.02 µg/L	<0.02	-	0.01 mg/kg	<0.01	-
5.24	alfa,2,6-trichlorotoluene*	2014-83-7	With reference to USEPA 8270D or Solvent extraction followed by GC/MS analysis	0.02 µg/L	<0.02	-	0.01 mg/kg	<0.01	-
5.25	alfa,3,4-trichlorotoluene*	102-47-6	With reference to USEPA 8270D or Solvent extraction followed by GC/MS analysis	0.02 µg/L	<0.02	-	0.01 mg/kg	<0.01	-
5.26	alpha, alpha, 2,6-tetrachlorotoluene*	81-19-6	With reference to USEPA 8270D or Solvent extraction followed by GC/MS analysis	0.02 µg/L	<0.02	-	0.01 mg/kg	<0.01	-
5.27	alpha, alpha, alpha, 2-tetrachlorotoluene*	2136-89-2	With reference to USEPA 8270D or Solvent extraction followed by GC/MS analysis	0.02 µg/L	<0.02	-	0.01 mg/kg	<0.01	-
5.28	alpha, alpha, alpha, 4-tetrachlorotoluene*	5216-25-1	With reference to USEPA 8270D or Solvent extraction followed by GC/MS analysis	0.02 µg/L	<0.02	-	0.01 mg/kg	<0.01	-
5.29	2,3,4,5,6-pentachlorotoluene*	877-11-2	With reference to USEPA 8270D or Solvent extraction followed by GC/MS analysis	0.02 µg/L	<0.02	-	0.01 mg/kg	<0.01	-
6 Chlorinated solvents									
6.1	Dichloromethane	75-09-2	With reference to USEPA 8260C or Head-space or Solvent extraction with GC/MS analysis	1 µg/L	<1	-	0.3 mg/kg	<0.3	-
6.2	Chloroform	67-66-3	With reference to USEPA 8260C or Head-space or Solvent extraction with GC/MS analysis	1 µg/L	<1	-	0.3 mg/kg	<0.3	-

6.3	Tetrachloromethane	56-23-5	With reference to USEPA 8260C or Head-space or Solvent extraction with GC/MS analysis	1 µg/L	<1	-	0.3 mg/kg	<0.3	-
6.4	1,1,2-Trichloroethane	79-00-5	With reference to USEPA 8260C or Head-space or Solvent extraction with GC/MS analysis	1 µg/L	<1	-	0.3 mg/kg	<0.3	-
6.5	1,1-Dichloroethane	75-34-3	With reference to USEPA 8260C or Head-space or Solvent extraction with GC/MS analysis	1 µg/L	<1	-	0.3 mg/kg	<0.3	-
6.6	1,2-Dichloroethane	107-06-2	With reference to USEPA 8260C or Head-space or Solvent extraction with GC/MS analysis	1 µg/L	<1	-	0.3 mg/kg	<0.3	-
6.7	Trichloroethylene	79-01-6	With reference to USEPA 8260C or Head-space or Solvent extraction with GC/MS analysis	1 µg/L	<1	-	0.3 mg/kg	<0.3	-
6.8	Perchloroethylene	127-18-4	With reference to USEPA 8260C or Head-space or Solvent extraction with GC/MS analysis	1 µg/L	<1	-	0.3 mg/kg	<0.3	-
6.9	1,1,1-trichloroethane	71-55-6	With reference to USEPA 8260C or Head-space or Solvent extraction with GC/MS analysis	1 µg/L	<1	-	0.3 mg/kg	<0.3	-
6.10	1,1,1,2-Tetrachloroethane	630-20-6	With reference to USEPA 8260C or Head-space or Solvent extraction with GC/MS analysis	1 µg/L	<1	-	0.3 mg/kg	<0.3	-
6.11	1,1,2,2-Tetrachloroethane	79-34-5	With reference to USEPA 8260C or Head-space or Solvent extraction with GC/MS analysis	1 µg/L	<1	-	0.3 mg/kg	<0.3	-
6.12	Pentachloroethane	76-01-7	With reference to USEPA 8260C or Head-space or Solvent extraction with GC/MS analysis	1 µg/L	<1	-	0.3 mg/kg	<0.3	-
6.13	1,1-Dichloroethylene	75-35-4	With reference to USEPA 8260C or Head-space or Solvent extraction with GC/MS analysis	1 µg/L	<1	-	0.3 mg/kg	<0.3	-
Other VOCs									
6.14	Methyl-ethyl ketone*	78-93-3	With reference to USEPA 8260C or Head-space or Solvent extraction followed by GC/MS analysis	1 µg/L	<1	-	0.1 mg/kg	<0.1	-
6.15	Benzene*	71-43-2	With reference to USEPA 8260C or Head-space or Solvent extraction followed by GC/MS analysis	1 µg/L	<1	-	0.1 mg/kg	<0.1	-
6.16	Toluene*	108-88-3	With reference to USEPA 8260C or Head-space or Solvent extraction followed by GC/MS analysis	1 µg/L	8	-	0.1 mg/kg	<0.1	-
6.17	Ethylbenzene*	100-41-4	With reference to USEPA 8260C or Head-space or Solvent extraction followed by GC/MS analysis	1 µg/L	<1	-	0.1 mg/kg	<0.1	-
6.18	Xylene*	1330-20-7	With reference to USEPA 8260C or Head-space or Solvent extraction followed by GC/MS analysis	1 µg/L	<1	-	0.1 mg/kg	<0.1	-
6.19	Styrene*	100-42-5	With reference to USEPA 8260C or Head-space or Solvent extraction followed by GC/MS analysis	1 µg/L	1	-	0.1 mg/kg	<0.1	-
6.20	Cyclohexanone*	108-94-1	With reference to USEPA 8260C or Head-space or Solvent extraction followed by GC/MS analysis	1 µg/L	<1	-	2 mg/kg	<2	-
6.21	2-ethoxyethylacetate*	111-15-9	With reference to USEPA 8260C or Head-space or Solvent extraction followed by GC/MS analysis	1 µg/L	<1	-	10 mg/kg	<10	-
6.22	1,2,3-trichloropropane*	96-18-4	With reference to USEPA 8260C or Head-space or Solvent extraction followed by GC/MS analysis	1 µg/L	<1	-	10 mg/kg	<10	-
6.23	Acetophenone*	98-86-2	With reference to USEPA 8270D or Head-space or Solvent extraction followed by GC/MS analysis	1 µg/L	<1	-	0.1 mg/kg	<0.1	-
6.24	Naphthalene*	91-20-3	With reference to USEPA 8270D or Head-space or Solvent extraction followed by GC/MS analysis	1 µg/L	<1	-	0.1 mg/kg	<0.1	-
6.25	N,N-dimethylformamide*	68-12-2	With reference to USEPA 8270D or Head-space or Solvent extraction followed by GC/MS analysis	1 µg/L	<1	-	0.1 mg/kg	<0.1	-
6.26	1-methyl-2-pyrrolidone*	872-50-4	With reference to USEPA 8270D or Head-space or Solvent extraction followed by GC/MS analysis	1 µg/L	<1	-	50 mg/kg	<50	-
6.27	2-phenyl-2-propanone*	617-94-7	With reference to USEPA 8270D or Head-space or Solvent extraction followed by GC/MS analysis	1 µg/L	<1	-	0.1 mg/kg	<0.1	-
6.28	Bis-(2-methoxyethyl) ether*	111-96-6	With reference to USEPA 8270D or Head-space or Solvent extraction followed by GC/MS analysis	1 µg/L	<1	-	20 mg/kg	<20	-
6.29	N,N-dimethylacetamide*	127-19-5	With reference to USEPA 8270D or Head-space or Solvent extraction followed by GC/MS analysis	1 µg/L	<1	-	20 mg/kg	<20	-
7 Chloro- Phenols									
7.1	Pentachlorophenols (PCP)	87-86-5	With reference to BS EN 12673 or Solvent extraction and derivatisation with acetic anhydride followed by GC/MS analysis.	0.5 µg/L	<0.5	-	0.025 mg/kg	<0.025	-
	Tetrachlorophenols (TeCP)	25167-83-3	With reference to BS EN 12673 or Solvent extraction and derivatisation with acetic anhydride followed by GC/MS analysis.	0.5 µg/L	<0.5	-	0.025 mg/kg	<0.025	-
7.2	2,3,4,5-Tetrachlorophenol	4901-51-3	With reference to BS EN 12673 or Solvent extraction and derivatisation with acetic anhydride followed by GC/MS analysis.	0.5 µg/L	<0.5	-	0.025 mg/kg	<0.025	-
7.3	2,3,4,6-Tetrachlorophenol	58-90-2	With reference to BS EN 12673 or Solvent extraction and derivatisation with acetic anhydride followed by GC/MS analysis.	0.5 µg/L	<0.5	-	0.025 mg/kg	<0.025	-
7.4	2,3,5,6-tetrachlorophenol	935-95-5	With reference to BS EN 12673 or Solvent extraction and derivatisation with acetic anhydride followed by GC/MS analysis.	0.5 µg/L	<0.5	-	0.025 mg/kg	<0.025	-
	Trichlorophenol (TriCP)	25167-82-2	With reference to BS EN 12673 or Solvent extraction and derivatisation with acetic anhydride followed by GC/MS analysis.	0.5 µg/L	<0.5	-	0.025 mg/kg	<0.025	-
7.5	2,4,6-trichlorophenol	88-06-2	With reference to BS EN 12673 or Solvent extraction and derivatisation with acetic anhydride followed by GC/MS analysis.	0.5 µg/L	<0.5	-	0.025 mg/kg	<0.025	-
7.6	2,3,4-trichlorophenol	15950-66-0	With reference to BS EN 12673 or Solvent extraction and derivatisation with acetic anhydride followed by GC/MS analysis.	0.5 µg/L	<0.5	-	0.025 mg/kg	<0.025	-
7.7	2,3,5-trichlorophenol	933-78-8	With reference to BS EN 12673 or Solvent extraction and derivatisation with acetic anhydride followed by GC/MS analysis.	0.5 µg/L	<0.5	-	0.025 mg/kg	<0.025	-
7.8	2,3,6-trichlorophenol	933-75-5	With reference to BS EN 12673 or Solvent extraction and derivatisation with acetic anhydride followed by GC/MS analysis.	0.5 µg/L	<0.5	-	0.025 mg/kg	<0.025	-
7.9	2,4,5-trichlorophenol	95-95-4	With reference to BS EN 12673 or Solvent extraction and derivatisation with acetic anhydride followed by GC/MS analysis.	0.5 µg/L	<0.5	-	0.025 mg/kg	<0.025	-
7.10	3,4,5-trichlorophenol	609-19-8	With reference to BS EN 12673 or Solvent extraction and derivatisation with acetic anhydride followed by GC/MS analysis.	0.5 µg/L	<0.5	-	0.025 mg/kg	<0.025	-
	Dichlorophenols (DiCP)	25167-81-1	With reference to BS EN 12673 or Solvent extraction and derivatisation with acetic anhydride followed by GC/MS analysis.	0.5 µg/L	<0.5	-	0.025 mg/kg	<0.025	-
7.11	2,3-dichlorophenol	576-24-9	With reference to BS EN 12673 or Solvent extraction and derivatisation with acetic anhydride followed by GC/MS analysis.	0.5 µg/L	<0.5	-	0.025 mg/kg	<0.025	-
7.12	2,4-dichlorophenol	120-83-2	With reference to BS EN 12673 or Solvent extraction and derivatisation with acetic anhydride followed by GC/MS analysis.	0.5 µg/L	<0.5	-	0.025 mg/kg	<0.025	-

7.13	2,5-dichlorophenol	583-78-8	With reference to BS EN 12673 or Solvent extraction and derivatisation with acetic anhydride followed by GC/MS analysis.	0.5 µg/L	<0.5	-	0.025 mg/kg	<0.025	-
7.14	3,4-dichlorophenol	95-77-2	With reference to BS EN 12673 or Solvent extraction and derivatisation with acetic anhydride followed by GC/MS analysis.	0.5 µg/L	<0.5	-	0.025 mg/kg	<0.025	-
7.15	3,5-dichlorophenol	591-35-5	With reference to BS EN 12673 or Solvent extraction and derivatisation with acetic anhydride followed by GC/MS analysis.	0.5 µg/L	<0.5	-	0.025 mg/kg	<0.025	-
7.16	Mono Chlorophenol	Various	With reference to BS EN 12673 or Solvent extraction and derivatisation with acetic anhydride followed by GC/MS analysis.	0.5 µg/L	<0.5	-	0.025 mg/kg	<0.025	-
8 Short Chain Chlorinated Paraffins (SCCP) with C10 –C13									
8.1	Short Chain Chlorinated Paraffins (SCCP), C ₁₀ -C ₁₃	85535-84-8	Solvent extraction followed by GC/ECD and GC/NCI analysis	0.4 µg/L	<0.4	-	0.03 mg/kg	<0.03	-
9 Heavy Metals									
9.1	Total Cadmium (Cd)	7440-43-9	With reference to USEPA 200.8, SM 3125 or Acid Digestion with ICP or ICP/MS analysis	0.1 µg/L	<0.1	-	1 mg/kg	<1	-
9.2	Total Lead (Pb)	7439-92-1	With reference to USEPA 200.8, SM 3125 or Acid Digestion with ICP or ICP/MS analysis	1 µg/L	<1	-	1 mg/kg	8	-
9.3	Total Mercury (Hg)	7439-97-6	With reference to USEPA 7473 or Acid Digestion with ICP or ICP/MS analysis	0.05 µg/L	<0.05	-	0.006 mg/kg	<0.006	-
9.4	Total Nickel (Ni)	7440-02-0	With reference to USEPA 200.8, SM 3125 or Acid Digestion with ICP or ICP/MS analysis	1 µg/L	17	-	1 mg/kg	36	-
9.5	Total Hexavalent Chromium (Cr-VI)	18540-29-9	With reference to AHP 3500Cr A&B or Solvent extraction and derivatisation followed by UV analysis	1 µg/L	<1	-	1 mg/kg	<1	-
9.6	Total Arsenic (As)	7440-38-2	With reference to USEPA 200.8, SM 3125 or Acid Digestion with ICP or ICP/MS analysis	1 µg/L	17	-	1 mg/kg	32	-
9.7	Total Chromium (Cr)	7440-47-3	With reference to USEPA 200.8, SM 3125 or Acid Digestion with ICP or ICP/MS analysis	1 µg/L	7	Composite sample (for 2 hours) ≤ 2000 µg/L ¹		1 mg/kg	72
9.8	Total Copper (Cu)	7440-50-8	With reference to USEPA 200.8, SM 3125 or Acid Digestion with ICP or ICP/MS analysis	1 µg/L	<1	Composite sample (for 2 hours) ≤ 12000 µg/L ²		1 mg/kg	192
9.9	Total Zinc (Zn)	7440-66-6	With reference to USEPA 200.8, SM 3125 or Acid Digestion with ICP or ICP/MS analysis	1 µg/L	56	Composite sample (for 2 hours) ≤ 12000 µg/L ²		4 mg/kg	540
9.10	Total Manganese (Mn)	7439-96-5	With reference to USEPA 200.8, SM 3125 or Acid Digestion with ICP or ICP/MS analysis	1 µg/L	20	-		1 mg/kg	96
9.11	Total Antimony (Sb)	7440-36-0	With reference to USEPA 200.8, SM 3125 or Acid Digestion with ICP or ICP/MS analysis	1 µg/L	9	-		1 mg/kg	<1
9.12	Total Cobalt (Co)*	7440-48-4	With reference to USEPA 200.8, SM 3125 or Acid Digestion with ICP or ICP/MS analysis	1 µg/L	1	-		1 mg/kg	6
10 Alkylphenols (APEOs)									
10.1	Octylphenol	various 140-66-9, 27193-28-8, 1806-26-4	With reference to DIN EN ISO 18857 and followed by GC/MS or LC/MS analysis	1 µg/L	<1	-	0.2 mg/kg	<0.2	-
10.2	Nonylphenol	various 25154-52-3, 104-40-5, 90481-04-2, 84852-15-3, 1173019-62-9	With reference to DIN EN ISO 18857 and followed by GC/MS or LC/MS analysis	1 µg/L	<1	-	0.2 mg/kg	14,9	-
10.3	NPEO, n=1~2	various various 9016-45-9, 26027-38-3	With reference to DIN EN ISO 18857 and followed by GC/MS or LC/MS analysis	1 µg/L	<1	-	0.2 mg/kg	<0.2	-
10.4	NPEO, n=3~18	various various 68412-54-4, 127087-87-0, 37205-87-1	With reference to DIN EN ISO 18857 and followed by GC/MS or LC/MS analysis	1 µg/L	<1	-	0.2 mg/kg	0,4	-
10.5	OPEO, n=1~2	various various 9002-93-1, 9036-19-5, 68987-90-6	With reference to DIN EN ISO 18857 and followed by GC/MS or LC/MS analysis	1 µg/L	<1	-	0.2 mg/kg	<0.2	-
10.6	OPEO, n=3~18	various various 9002-93-1, 9036-19-5, 68987-90-6	With reference to DIN EN ISO 18857 and followed by GC/MS or LC/MS analysis	1 µg/L	<1	-	0.2 mg/kg	<0.2	-
11 PFCs (Perfluorocarbon / Polyfluorinated Compounds)									
11.1	PFOA	335-67-1	With reference to USEPA 537 or CEN/TS 15968 and followed by GC/MS or LC/MS analysis	0.01 µg/L	<0.01	-	0.001 mg/kg	<0.001	-
11.2	PFNA	375-95-1	With reference to USEPA 537 or CEN/TS 15968 and followed by GC/MS or LC/MS analysis	0.01 µg/L	<0.01	-	0.001 mg/kg	<0.001	-
11.3	PFBS	375-73-5, 59933-66-3	With reference to USEPA 537 or CEN/TS 15968 and followed by GC/MS or LC/MS analysis	0.01 µg/L	<0.01	-	0.001 mg/kg	<0.001	-
11.4	PFOS	1763-23-1	With reference to USEPA 537 or CEN/TS 15968 and followed by GC/MS or LC/MS analysis	0.01 µg/L	<0.01	-	0.001 mg/kg	<0.001	-
11.5	POSF	307-35-7	With reference to USEPA 537 or CEN/TS 15968 and followed by GC/MS or LC/MS analysis	0.01 µg/L	<0.01	-	0.001 mg/kg	<0.001	-
11.6	4:2 FTOH	2043-47-2	With reference to CEN/TS 15968 and followed by GC/MS or LC/MS analysis	0.1 µg/L	<0.1	-	0.01 mg/kg	<0.01	-
11.7	6:2 FTOH	647-42-7	With reference to CEN/TS 15968 and followed by GC/MS or LC/MS analysis	0.1 µg/L	<0.1	-	0.01 mg/kg	<0.01	-
11.8	8:2 FTOH	678-39-7	With reference to CEN/TS 15968 and followed by GC/MS or LC/MS analysis	0.1 µg/L	<0.1	-	0.01 mg/kg	<0.01	-
11.9	10:2 FTOH	865-86-1	With reference to CEN/TS 15968 and followed by GC/MS or LC/MS analysis	0.1 µg/L	<0.1	-	0.01 mg/kg	<0.01	-
11.10	PFHXS	355-46-4	With reference to USEPA 537 or CEN/TS 15968 and followed by GC/MS or LC/MS analysis	0.01 µg/L	<0.01	-	0.001 mg/kg	<0.001	-
11.11	PFHXA	307-24-4	With reference to USEPA 537 or CEN/TS 15968 and followed by GC/MS or LC/MS analysis	0.01 µg/L	<0.01	-	0.001 mg/kg	<0.001	-
11.12	PFOSA	754-91-6	With reference to USEPA 537 or CEN/TS 15968 and followed by GC/MS or LC/MS analysis	0.1 µg/L	<0.1	-	0.01 mg/kg	<0.01	-
11.13	N-Me-FOSA	31506-32-8	With reference to USEPA 537 or CEN/TS 15968 and followed by GC/MS or LC/MS analysis	0.1 µg/L	<0.1	-	0.01 mg/kg	<0.01	-
11.14	N-Et-FOSA	4151-50-2	With reference to USEPA 537 or CEN/TS 15968 and followed by GC/MS or LC/MS analysis	0.1 µg/L	<0.1	-	0.01 mg/kg	<0.01	-
11.15	N-Me-FOSE alcohol	24448-09-7	With reference to USEPA 537 or CEN/TS 15968 and followed by GC/MS or LC/MS analysis	0.1 µg/L	<0.1	-	0.01 mg/kg	<0.01	-
11.16	N-Et-FOSE alcohol	1691-99-2	With reference to USEPA 537 or CEN/TS 15968 and followed by GC/MS or LC/MS analysis	0.1 µg/L	<0.1	-	0.01 mg/kg	<0.01	-
11.17	PFBA	375-22-4	With reference to USEPA 537 or CEN/TS 15968 and followed by GC/MS or LC/MS analysis	0.01 µg/L	<0.01	-	0.001 mg/kg	<0.001	-
11.18	PFPeA	2706-90-3	With reference to USEPA 537 or CEN/TS 15968 and followed by GC/MS or LC/MS analysis	0.01 µg/L	<0.01	-	0.001 mg/kg	<0.001	-

11.19	PFHpA	375-85-9	With reference to USEPA 537 or CEN/TS 15968 and followed by GC/MS or LC/MS analysis	0.01 µg/L	<0.01	-	0.001 mg/kg	<0.001	-
11.20	PFDA	335-76-2	With reference to USEPA 537 or CEN/TS 15968 and followed by GC/MS or LC/MS analysis	0.01 µg/L	<0.01	-	0.001 mg/kg	<0.001	-
11.21	PFUnA	2058-94-8	With reference to USEPA 537 or CEN/TS 15968 and followed by GC/MS or LC/MS analysis	0.01 µg/L	<0.01	-	0.001 mg/kg	<0.001	-
11.22	PFDa	307-55-1	With reference to USEPA 537 or CEN/TS 15968 and followed by GC/MS or LC/MS analysis	0.01 µg/L	<0.01	-	0.001 mg/kg	<0.001	-
11.23	PFTra	72629-94-8	With reference to USEPA 537 or CEN/TS 15968 and followed by GC/MS or LC/MS analysis	0.01 µg/L	<0.01	-	0.001 mg/kg	<0.001	-
11.24	PFTeA	376-06-7	With reference to USEPA 537 or CEN/TS 15968 and followed by GC/MS or LC/MS analysis	0.01 µg/L	<0.01	-	0.001 mg/kg	<0.001	-
11.25	PFHps	375-92-8	With reference to USEPA 537 or CEN/TS 15968 and followed by GC/MS or LC/MS analysis	0.01 µg/L	<0.01	-	0.001 mg/kg	<0.001	-
11.26	PFDS	335-77-3	With reference to USEPA 537 or CEN/TS 15968 and followed by GC/MS or LC/MS analysis	0.01 µg/L	<0.01	-	0.001 mg/kg	<0.001	-
11.27	6:2 FTA	17527-29-6	With reference to CEN/TS 15968 and followed by GC/MS or LC/MS analysis	0.1 µg/L	<0.1	-	0.01 mg/kg	<0.01	-
11.28	8:2 FTA	27905-45-9	With reference to CEN/TS 15968 and followed by GC/MS or LC/MS analysis	0.1 µg/L	<0.1	-	0.01 mg/kg	<0.01	-
11.29	10:2 FTA	17741-60-5	With reference to CEN/TS 15968 and followed by GC/MS or LC/MS analysis	0.1 µg/L	<0.1	-	0.01 mg/kg	<0.01	-
11.30	PF-3,7-DMOA	172155-07-6	With reference to USEPA 537 or CEN/TS 15968 and followed by GC/MS or LC/MS analysis	0.01 µg/L	<0.01	-	0.001 mg/kg	<0.001	-
11.31	HPFHpA	1546-95-8	With reference to USEPA 537 or CEN/TS 15968 and followed by GC/MS or LC/MS analysis	0.01 µg/L	<0.01	-	0.001 mg/kg	<0.001	-
11.32	4HPFUuA	34598-33-9	With reference to USEPA 537 or CEN/TS 15968 and followed by GC/MS or LC/MS analysis	0.01 µg/L	<0.01	-	0.001 mg/kg	<0.001	-
11.33	1H, 1H, 2H, 2H- PFOS	27619-97-2	With reference to USEPA 537 or CEN/TS 15968 and followed by GC/MS or LC/MS analysis	0.01 µg/L	<0.01	-	0.001 mg/kg	<0.001	-

Remarks:

*Best current testing technology using lowest detection

^aThe test result is based on the calculation of selected element(s) and to the worst-case scenario

^bThe sample is tested based on dry mass, percentage of moisture of sludge = 74.0%


^cApplicable for Textile Industry (Open Fibre, Yarn Production and Trimming) / (Woven Fabric Finishing) / (Cotton production) / (wool washing, finishing, weaving) / (Knit Fabric Finishing and etc.) / (Carpet finishing) only

^dApplicable for Textile Industry (synthetic textile finishing) only

PHOTOGRAPHS

EFFLUENT

VNSL1512008021TX-A

SLUDGE

VNSL1512008021TX-B

Name of Product: Wastewater and Sludge
Factory of Product: Denizli OSB Müdürlüğü Antma Tesisi